



**MASTERTOOL**  
HARD SPEEDY

## Quick Ship Products

*"Our Best Selling Tools In Stock for You!"*



**World Class Manufacturer  
of Rotary Cutting Tools**

# BURS

## Table of Contents

	SA Burs - Cylindrical Shape, No Endcut . . . . .	10	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SB Burs - Cylindrical Shape with End Cut . . . . .	11	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SC Burs - Radius Cylindrical Shape . . . . .	11	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SD Burs - Ball Shape . . . . .	12	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SE Burs - Oval Shape . . . . .	12	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SF Burs - Radius Tree Shape . . . . .	13	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SG Burs - Pointed Tree Shape. . . . .	13	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SH Burs - Flame Shape. . . . .	14	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SL Burs - Radius Cone Shape . . . . .	14	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P
	SM Burs - Pointed Cone Shape. . . . .	14	Cermet	Hardened H	Cast Iron K	Titanium S	Non-Ferrous N	Stainless M	Steel P

## SA BURS - CYLINDRICAL SHAPE

### Without End Cut

Alumacuts recommended for non-ferrous materials




OD	LOC	SHK	OAL	Cut Type	
D1	L1	D2	L2	Doublecut	Alumacut
1/8	9/16	1/8	1-1/2	SA-43DC*	-
1/4	5/8	1/4	2	SA-1DC*	SA-1FM*
3/8	3/4	1/4	2-1/2	SA-3DC	SA-3FM
3/8	3/4	1/4	6-3/4	SA-3L6DC	-
1/2	1	1/4	2-3/4	SA-5DC	SA-5FM
1/2	1	1/4	7	SA-5L6DC	-

\* Denotes Solid Carbide



# SB BURS - CYLINDRICAL SHAPE


## With End Cut



OD	LOC	SHK	OAL	Cut Type	
D1	L1	D2	L2	Doublecut	Alumacut
1/8	9/16	1/8	1-1/2	SB-43DC*	-
1/4	5/8	1/4	2	SB-1DC*	SB-1FM*
3/8	3/4	1/4	2-1/2	SB-3DC	SB-3FM
3/8	3/4	1/4	6-3/4	SB-3L6DC	-
1/2	1	1/4	2-3/4	SB-5DC	SB-5FM
1/2	1	1/4	7	SB-5L6DC	-

\* Denotes Solid Carbide

# SC BURS - RADIUS CYLINDRICAL SHAPE



OD	LOC	SHK	OAL	Cut Type	
D1	L1	D2	L2	Doublecut	Alumacut
1/8	9/16	1/8	1-1/2	SC-42DC*	-
1/4	5/8	1/4	2	SC-1DC*	-
3/8	3/4	1/4	2-1/2	SC-3DC	SC-3FM
3/8	3/4	1/4	6-3/4	SC-3L6DC	-
1/2	1	1/4	2-3/4	SC-5DC	SC-5FM
1/2	1	1/4	7	SC-5L6DC	-

\* Denotes Solid Carbide

# SD BURS - BALL SHAPE

Alumacuts recommended for non-ferrous materials



Alumacut Doublecut



Long Shank



OD	LOC	SHK	OAL	Cut Type	
D1	L1	D2	L2	Doublecut	Alumacut
1/8	1/8	1/8	1-1/2	SD-42DC*	-
1/4	7/32	1/4	2	SD-1DC*	-
3/8	5/16	1/4	2-1/8	SD-3DC	SD-3FM
3/8	5/16	1/4	6-3/8	SD-3L6DC	-
1/2	7/16	1/4	2-1/4	SD-5DC	SD-5FM
1/2	7/16	1/4	6-1/2	SD-5L6DC	-

\* Denotes Solid Carbide

# SE BURS - OVAL SHAPE


Alumacuts recommended for non-ferrous materials



Alumacut Doublecut



Long Shank



OD	LOC	SHK	OAL	Cut Type	
D1	L1	D2	L2	Doublecut	Alumacut
1/8	7/32	1/8	1-1/2	SE-41DC*	-
1/4	3/8	1/4	2	SE-1DC*	-
3/8	5/8	1/4	2-3/8	SE-3DC	SE-3FM
3/8	5/8	1/4	6-5/8	SE-3L6DC	-
1/2	7/8	1/4	2-5/8	SE-5DC	SE-5FM
1/2	7/8	1/4	6-7/8	SE-5L6DC	-

\* Denotes Solid Carbide



# SF BURS - RADIUS TREE SHAPE

Alumacuts recommended for non-ferrous materials



OD	LOC	SHK	OAL	Cut Type	
D1	L1	D2	L2	Doublecut	Alumacut
1/8	1/2	1/8	1-1/2	SF-42DC*	-
1/4	5/8	1/4	2	SF-1DC	-
3/8	3/4	1/4	2-1/2	SF-3DC	SF-3FM
3/8	3/4	1/4	6-3/4	SF-3L6DC	-
1/2	1	1/4	2-3/4	SF-5DC	SF-5FM
1/2	1	1/4	7	SF-5L6DC	-

\* Denotes Solid Carbide

# SG BURS - POINTED TREE SHAPE



OD	LOC	SHK	OAL	Cut Type
D1	L1	D2	L2	Doublecut
1/8	3/8	1/8	1-1/2	SG-43DC*
1/4	5/8	1/4	2	SG-1DC*
3/8	3/4	1/4	2-1/2	SG-3DC
3/8	3/4	1/4	6-3/4	SG-3L6DC
1/2	1	1/4	2-3/4	SG-5DC
1/2	1	1/4	6-3/4	SG-5L6DC

\* Denotes Solid Carbide


# SH BURS - FLAME SHAPE



OD	LOC	SHK	OAL	Cut Type
D1	L1	D2	L2	Doublecut
1/8	1/4	1/8	1-1/2	SH-41DC*
1/4	1/2	1/4	2	SH-1DC*
5/16	3/4	1/4	2-1/2	SH-2DC
1/2	1-1/4	1/4	3	SH-5DC

\* Denotes Solid Carbide

# SL BURS - RADIUS CONE SHAPE



OD	LOC	SHK	OAL	Angle	Cut Type	
D1	L1	D2	L2	Deg	Doublecut	Alumacut
1/8	3/8	1/8	1-1/2	8°	SL-41DC*	-
1/4	5/8	1/4	2	14°	SL-1DC*	-
3/8	1-1/16	1/4	2-13/16	14°	SL-3DC	SL-3FM
3/8	1-1/16	1/4	7-1/16	14°	SL-3L6DC	-
1/2	1-1/8	1/4	2-7/8	14°	SL-4DC	SL-4FM
1/2	1-1/8	1/4	7-1/8	14°	SL-4L6DC	-

\* Denotes Solid Carbide

# SM BURS - POINTED CONE SHAPE



OD	LOC	SHK	OAL	Angle	Cut Type
D1	L1	D2	L2	Deg	Doublecut
1/8	11/32	1/8	1-1/2	12°	SM-41DC*
1/4	1/2	1/4	2	22°	SM-1DC*
3/8	5/8	1/4	2-1/2	14°	SM-4DC
1/2	7/8	1/4	2-5/8	14°	SM-5DC
1/2	7/8	1/4	6-7/8	14°	SM-5L6DC

\* Denotes Solid Carbide

